Corona 1010

Nitrogen Generator



Your local gas generation partner

Description

Peak's Corona 1010 model has been developed to meet the demands of labs requiring high purity nitrogen for their applications.


Suitable primarily for Charged Aerosol Detectors, the Corona 1010 generator delivers a high-purity, filtered nitrogen supply for applications requiring flows of up to 51/min at 80psi.

With a space-saving design, the Corona 1010 can fit seamlessly into any laboratory. Engineered with an optional, dedicated compressor module for customers with no suitable supply of in-house compressed air, the Corona system provides a flexible solution for labs with differing configurations.



Applications

- ThermoFisher Scientific Corona Veo
- ThermoFisher Scientific Vanquish CAD



Key Features

- Suitable for applications requiring high purity nitrogen
- Available with or without external compressor module
- Dedicated solution for Thermo Scientific's Corona and Vanquish instruments
- Tried and tested membrane technology delivers high purity nitrogen
- Gas is supplied on demand so generator works to your schedule
- The most cost-effective method of gas supply

Corona 1010 shown in a stack with Corona Air Compressor.

Technical Specifications	Corona 1010	
Max Flow Rate	5 lpm	
Max Pressure	80 psi / 5.5 bar	
Purity	<2% 02 @ 5 L/min	
Gas Outlets	1x1/4 " BSPP	
Min Air Inlet Pressure	7.6 bar / 110 psi	
Min Air Inlet Flow	30 lpm	
Min Inlet Air Quality	ISO8573 - 1:2010 Class 1.4.1	
Phthalates	None	
Suspended Liquids	None	
Start-Up Time For Purity	5 minutes	
Operating Temperature	5°C - 35°C / 41°F - 95 °F	
Electrical Requirements	100-230V 50/60 HZ 0.01 A	
Power Consumption	10 Watts	
Heat Output	Up to 140 BTU/Hr	
Generator Dimensions (WxDxH)	156 x 417 x 540 mm /6.2 x 16.5 x 21.3"	
Generator Weight	12 Kg (26.5 lbs)	

Ordering Information		
Part Number	81-4000	
Annual Service	08-9013	
Standard Maintenance Plan	09 - 3110	
Complete Maintenance Plan	09 - 3010	

Corona Air Compressor	230V	110V	
Part Number	85-0555	85-1555	
Annual Service	08-8352		
Generator Dimensions (WxDxH)	406 x 417 x 540 mm / 16 x 16.5 x 21.3"		
Generator Weight	41.5 Kg (91.5 lbs)		

Peak Scientific gas generators define the benchmark in reliability, convenience and performance in laboratories around the world, and come backed by a 12 month warranty. Beyond this period however you can ensure that you're investment continues to be [Protected] by our comprehensive generator care cover.

Our world-class aftercare support packages deliver a program of scheduled preventative maintenance whilst giving you the reassurance of instant access to worldwide technical support and priority on-site response in the untimely event of a breakdown.

Peak Scientific UK Tel: +44 (0)141 812 8100 Fax: +44 (0)141 812 8200

Peak Scientific North America

Tel: +1 866 647 1649 Fax: +1 978 608 9503

For a full list of our worldwide office locations, please visit:

Web: www.peakscientific.com $\textcolor{red}{\textbf{Email:}} \ marketing@peakscientific.com$ Peak Scientific's Quality Management System conforms to: ISO:9001:2008











Product Certifications

